EAST Search History

Ref #	Hits	Search Query	DBs	Default Operat or	Plural s	Time Stamp
L1	178	(antimony or sb) near2 catalyst and polyester and melt\$4 and phase and polycondens\$6 and atmospher\$4 near pressure and (degree or temperature) and (viscosit\$4 or iv) and (color or b)	USPAT; USOCR; FPRS; EPO; JPO; DERWEN T	OR	ON	2007/11/15 13:01
L2	29	(antimony or sb) near2 catalyst and polyester and melt\$4 and phase and polycondens\$6 and (low or sub) near2 atmospher\$4 near pressure	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T	OR	ON	2007/11/15 13:01
L3	27	(antimony or sb) near2 catalyst and polyester and melt\$4 and phase and polycondens\$6 and (sub) near2 atmospher\$4 near pressure and (degree or temperature)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T	OR	ON	2007/11/15 13:01
L4	7	(antimony or sb) near20 catalyst and polyester and melt\$4 and phase and polycondens\$6 and (sub) near2 atmospher\$4 near2 pressure and (degree or temperature)	USPAT; USOCR; FPRS; EPO; JPO; DERWEN T	OR	ON	2007/11/15 13:01
L5	4	(antimony or sb) near2 catalyst and polyester and melt\$4 and phase and polycondens\$6 and (sub) near2 atmospher\$4 near2 pressure and (degree or temperature)	USPAT; USOCR; FPRS; EPO; JPO; DERWEN T	OR	ON	2007/11/15 13:02

Web Images Video News Maps Mail more ▼

terressa.boykin@uspto.gov | My Account | Sign out



(antimony or sb) catalyst and polyester and me Search Patents

Advanced Patent Search

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [details] The "AND" operator is unnecessary -- we include all search terms by default. [details]

Patents

« View all web results for (antimony or sb) catalyst Sort by relevance | Sort by date (new first) | Sort by date (old first) and polyester and melt and phase and polycondensing and sub atmospheric pressure and (degree or temperature)

Your search - (antimony or sb) catalyst and polyester and melt and phase and polycondensing and sub atmospheric pressure and (degree or temperature) - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.
- Try your search at www.uspto.gov

(antimony or sb) catalyst and polyester and m

Google Patent Search Help | Advanced Patent Search

Google Home - About Google - About Google Patent Search ©2007 Google

a (antimony or sb) catalyst and polyester and melt and phase and polycondensing and... Page 1 of 2

Web Images Video News Maps Mail more ▼

terressa.boykin@uspto.gov | Web History | My Account | Sign out

Google

(antimony or sb) catalyst and polyester and me Search Preferences

Try uppercase "OR" to search for either of two terms. [details]

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web Results 1 - 10 of about 183 for (antimony or sb) catalyst and polyester and melt and phase and polyconden

High clarity polyester containing sub-visual antimony phosphate ... In the first stage of the melt-phase process, a mixture of polyester monomer Then the antimony catalyst (22 mL, 1.0 wt/vol % of Sb as antimony ... www.freepatentsonline.com/5962625.html - 57k - Cached - Similar pages - Note this

High IV melt phase polyester polymer catalyzed with antimony ...

Polyester polymer melt phase pellets containing antimony residues and having an ... C. to 305.degree. C. or at sub-atmospheric pressure or a combination ...

www.freepatentsonline.com/20050203267.html - 131k - Cached - Similar pages - Note this
[More results from www.freepatentsonline.com]

Thermally stable polyester, process for its preparation and its ...

The prior art prefers the use of an antimony compound, such as Sb2 O3, For this, the pressure is lowered to a subatmospheric pressure of from 0.2 to ... www.patentstorm.us/patents/6841604-description.html - 53k - Cached - Similar pages - Note this

Apparatus and process for a polycondensation reaction - US Patent ...

Atmospheric pressure processes employing an inert gas have been disclosed

Antimony trioxide (Sb2 O3) is an especially effective catalyst which may be ...

www.patentstorm.us/patents/5856423-description.html - 66k Cached - Similar pages - Note this

[More results from www.patentstorm.us]

(WO/2007/035256) ALUMINUM CONTAINING POLYESTER POLYMERS HAVING LOW ...

d) if the **polyester melt** is present in a **melt phase** polymerization and at **sub-atmospheric pressure** of between about 350 mmHg to 0.2 mm Hg. The ... www.wipo.int/pctdb/en/wo.jsp?IA=WO2007035256&wo=2007035256&DISPLAY=DESC - 229k - Cached - Similar pages - Note this

(WO/2005/035610) THERMAL CRYSTALLIZATION OF POLYESTER PELLETS IN ... - Nov 14 Polyester melt phase manufacturing processes include direct condensation of a anywhere from sub-atmospheric, e. g. 1 psia, for such low vapor pressure ... www.wipo.int/pctdb/en/wo.jsp?wo=2005035610&IA=WO2005035610&DISPLAY=DESC - 200k - Cached - Similar pages - Note this
[More results from www.wipo.int]

patents-database - Polyester resin, molded product made thereof ...
Here, the amount of elution as antimony atoms (Sb) is one obtained by heating ... the case of a melt polycondensed resin, and, in the case of a solid phase ... patents-database.org/P/4238/Polyester_resin_
molded_product_made_thereof_and_process_for_production_of_pol... Similar pages - Note this

(antimony or sb) catalyst and polyester and melt and phase and polycondensing and... Page 2 of 2

Copolyester of polyethylene terephthalate and sulfonyl diphenol ...
The reaction is generally conducted under atmospheric pressure and at a temperature of from about160.degree. C. to about 225.degree. C. ...
www.patentgenius.com/patent/4436893.html - 59k - Cached - Similar pages - Note this

Preparation of cellular polyurethanes

C., and introduced into the open or closed mold at **atmospheric pressure** or superatmospheric **pressure**. The mold **temperature** is expediently from 20.**degree**. to ... www.patentalpha.com/.../preparation_cellular_polyurethanes_5578653.html - 137k - Cached - Similar pages - Note this

"HydrocarbonsBTX aromatics; Paraffins-->Hydrocarbons". In ... be regulated by the amount of catalyst. A high. partial pressure of ethylene is required for high occurs at low temperature in the liquid phase by ... doi.wiley.com/10.1002/14356007.a13_227 - Similar pages - Note this

1 2 3 **Next**

Try Google Desktop: search your computer as easily as you search the web.

(antimony or sb) catalyst and polyes Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

antimony or sb) catalyst and polyester and melt and phase and polycondensing and... Page 1 of 2

Web Images Video News Maps Mail more .

terressa.boykin@uspto.gov | Web History | My Account | Sign out

Google

(antimony or sb) catalyst and polyester and me Search

Advanced Search Preferences

Try uppercase "OR" to search for either of two terms. [details]

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web Results 11 - 15 of 15 for (antimony or sb) catalyst and polyester and melt and phase and polycondensing a

[PDF] P 2001-2003 CIVR

File Format: PDF/Adobe Acrobat

Sub-optimal morning temperature induces photoinhibition in dense outdoor cultures of the alga Atmospheric Pressure Photoionization Mass Spectrometry ... www.cnr.it/documenti/DocumentiProgrammatici/CIVR2001 2003.pdf -Similar pages - Note this

"Anthraquinone dyesintermediates for-->Anthraquinone Dyes and ... group facilitates the introduction of further sub-. stituents into the same ring. ters the fiber via its solution phase. The polyester ... doi.wiley.com/10.1002/14356007.a02_355 - Similar pages - Note this

[PDF] Modle Abstract EXRS2006

File Format: PDF/Adobe Acrobat

and pressure and temperature are elevated, i. e. the environment of the CRM's such as Te and Sb at sub ppm level in copper (European Reference ... www.nucleide.org/exrs2006/Book Abstracts.pdf - Similar pages - Note this

High clarity polyester containing sub-visual antimony phosphate ... In the first stage of the melt-phase process, a mixture of polyester monomer 459 mL) and the antimony catalyst (22 mL, 1.0 wt/vol % of Sb as antimony ... www.wikipatents.com/5962625.html - 145k - Cached - Similar pages - Note this

Polyester resin, molded product made thereof and process for ... A polyester resin produced by polycondensing a dicarboxylic acid component containing

an ... crystallization temperature Tc.sub.2 is from 150 to 200.degree. ... xrint.com/patents/us/7048995 - 250k - Cached - Similar pages - Note this

In order to show you the most relevant results, we have omitted some entries very similar to the 15 already displayed.

If you like, you can repeat the search with the omitted results included.

Previous 1 2

(antimony or sb) catalyst and polyes Search

(antimony or sb)) catalyst and polye	ster and melt and	phase and pol	vcondensing and	d Page 2 of 2
(a)	,,	otor arra mort arra	pilaco alla poi	your acroning arre	I ago = 0, =

Search within results	1	Language Tools	1	Search	Tips
-----------------------	---	-----------------------	---	--------	------

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google